Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
T. L2	43	372/29.012.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:16
L3	1378	372/34.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:16
L4	201	372/29.021.ccls	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:16
L6	744	372/33.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:19
L7:	580	374/161.ccls.	US PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ŌR	OFF	2005/01/31 15:23
L8	9326	"372"/\$.ccls. and laser and diode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:24
L9	10044	"372"/\$.ccis. and laser and diode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/01/31 15:24
L10	4695	"372"/\$.ccls. and laser and diode and (fiber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:24
L11	4136	"372"/\$.ccls. and laser and diode and (fiber NEAR optic\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:24

L12	2606	"372"/\$.ccls. and laser and diode and (fiber NEAR optic\$2) and temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:24
L13	2606	"372"/\$.ccls. and laser and diode and (fiber NEAR optic\$2) and temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON .	2005/01/31 15:24
			IBM_TDB	\$ - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	-	
L14	0	"372"/\$.ccls. and laser and diode and (fiber NEAR optic\$2) and temperature and diffeerence and power and control\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:25
L15	1305	"372"/\$.ccls. and laser and diode and (fiber NEAR optic\$2) and	US-PGPUB; USPAT;	OR	ON	2005/01/31 15:25
	, ent.	temperature and difference and power and control\$5	EPO; JPO; DERWENT; IBM_TDB			
L16	238	"372"/\$.ccls. and laser and diode and (fiber NEAR optic\$2) and temperature and difference and (power NEAR1 control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:26
L17:	208	"372"/\$:ccls. and (laser: NEAR diode) and (fiber NEAR optic\$2) and temperature and difference and (power NEAR1 control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	"ON	<sub>∺</sub> 2005/01/31 15:40
L18	15	"374"/\$.ccls. and (laser NEAR diode) and (fiber NEAR optic\$2) and temperature and difference and (power NEAR1 control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:27
L19	3 <b>11</b>	"372"/\$.ccls. and (laser NEAR diode) and ((fiber NEAR optic\$2) NEAR3 temperature) and difference and (power NEAR1 control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:48
L20	11	"372"/\$.ccls. and (diode) and ((fiber NEAR optic\$2) NEAR3 temperature) and difference and (power NEAR1 control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2005/01/31 15:48
L21	.12	"372"/\$.ccls. and (diode) and ((fiber NEAR optic\$2) NEAR3 temperature) and (error or difference) and (power NEAR1 control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:53

1						
L22	5	"372"/34.ccls. and (diode) and ((fiber NEAR optic\$2) NEAR3 temperature) and (error or difference) and (power NEAR1 control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:57
L23	12	"372"/34.ccls. and (diode) and ((fiber NEAR optic\$2) NEAR3 temperature) and (error or difference) and control\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:03
L24	160	"372"/34.ccls. and (diode) and (fiber NEAR optic\$2) and temperature and (error or difference) and control\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:03
L25	43	"372"/34.ccls. and (diode) and (fiber NEAR optic\$2) and temperature and (error or difference) and (control\$5 NEAR	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/01/31 16:03
	0.0	power)	IBM_TDB	- -	-	<u>.</u>
L26	57	"372"/34.ccls. and (diode) and (fiber NEAR optic\$2) and temperature and (error or difference) and (control\$5 NEAR2 power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:19
L27	<b>4</b>	"372"/34.ccls. and (diode) and (fiber NEAR optic\$2) and (fiber NEAR2 temperature) and (error or difference) and (control\$5 NEAR2 power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	·ON	2005/01/31 16:37
L28	4	"372"/34.ccls. and (diode) and (fiber NEAR optic\$2) and (fiber NEAR2 temperature) and (control\$5 NEAR2 power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:46
L29	15	"374"/\$.ccls. and (diode) and (fiber NEAR optic\$2) and (fiber NEAR2 temperature) and (control\$5 NEAR2 power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:47
L30	35	"372"/\$.ccls. and (diode) and (fiber NEAR optic\$2) and (fiber NEAR2 temperature) and (control\$5 NEAR2 power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:47
L31	25	"606"/\$.ccls. and (diode) and (fiber NEAR optic\$2) and (fiber NEAR2 temperature) and (control\$5 NEAR2 power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:47

L32	2	"606"/12.ccls. and (diode) and (fiber NEAR optic\$2) and (fiber	US-PGPUB; USPAT;	OR	ON	2005/01/31 16:47
-		NEAR2 temperature) and (control\$5	EPO; JPO;			
ŀ		NEAR2 power)	DERWENT;			
			IBM_TDB			